




AMSP 10000 - SINGLE-PHASE AUTOTRANSFORMER 230-400V - 10KVA - IP21



SKU: 41435
Référence technique: 44B43

CARACTÉRISTIQUES TECHNIQUES:

Type : Autotransformer
Current : single-phase
Certification(s) : EN 60076
Power : 10 kVA
Primary voltage : 230-400V reversible
Secondary voltage : 230-400V reversible
:
Protection : IP21-IK08
Version : standard
Inrush current : less than or equal to 11 In
Heatings : H (IEC 60085)
Max. ambient T° : 35°C
No load losses : 78 W
Load losses : 128 W
Voltage drop : 1,3 %
UCC : 2 %
Efficiency : 98 %

DIMENSIONS:

Dimensions (A x B x H) : 380 x 370 x 530 mm
Mounting centres (a x b) : 200 x 340 mm
Mounting diameter (ø) : 11x22 mm
Weight : 41,6 kg

PROTECTION(S) RECOMMANDÉE(S):

Primary 230V (aM fuse) : 1 x 50A
Primary 230V (D circuit breaker) : 1 x 50A
Primary 400V (aM fuse(s)) : 1 x 25A
:
Secondary 230V (gG fuse(s)) : 1 x 50A
Secondary 230V (C circuit breaker(s)) : 1 x 50A
Secondary 400V (gG fuse(s)) : 1 x 25A
Secondary 400V (C circuit breaker(s)) : 1 x 25A

OPTIONS:

Tropicalization
Vibration isolating mount
Runnig wheels
Factory assembled and wired primary and secondary protections
Specific colour for the enclosure