


## ATSP 6300 - THREE-PHASE AUTOTRANSFORMER 230-400V - 6,3KVA - IP21



SKU: 42415  
Référence technique: 49B41

### CARACTÉRISTIQUES TECHNIQUES:

Type : Autotransformer  
Current : three-phase  
Certification(s) : EN 60076  
Power : 6,3 kVA  
Primary voltage : 230-400V reversible  
Secondary voltage : 230-400V reversible  
:  
Protection : IP21-IK08  
Version : standard  
Inrush current : less than or equal to 11 In  
Heatings : F (IEC 60085)  
Max. ambient T° : 35°C  
No load losses : 59 W  
Load losses : 129 W  
Voltage drop : 2 %  
UCC : 1,4 %  
Efficiency : 97,1 %

### DIMENSIONS:

Dimensions (A x B x H) : 380 x 370 x 530 mm  
Mounting centres (a x b) : 200 x 340 mm  
Mounting diameter (Ø) : 11x22 mm  
Weight : 36,5 kg

### PROTECTION(S) RECOMMANDÉE(S):

Primary 230V (aM fuse) : 3 x 16A  
Primary 230V (D circuit breaker) : 3 x 16A  
Primary 400V (aM fuse(s)) : 3 x 10A  
:  
Secondary 230V (gG fuse(s)) : 4 x 16A  
Secondary 230V (C circuit breaker(s)) : 4 x 16A  
Secondary 400V (gG fuse(s)) : 4 x 10A  
Secondary 400V (C circuit breaker(s)) : 4 x 10A

### OPTIONS:

Tropicalization  
Specific colour for the enclosure