




## M1 3150 - ON REQUEST SINGLE-PHASE TRANSFORMER 3,15KVA - IP00



SKU: M13150\_Specific  
Référence technique: 09B38...

### CARACTÉRISTIQUES TECHNIQUES:

Type : Transformer  
Current : single-phase  
Certification(s) : EN 60076  
Power : 3,15 kVA  
Primary voltage : max. 1000V  
Secondary voltage : max. 1000V  
:  
Protection : IP00  
Version : Transformer (specific)  
Inrush current : less than or equal to 25 In  
Heatings : H (IEC 60085)  
Max. ambient T° : 40°C  
No load losses : 60 W  
Load losses : 145 W  
Voltage drop : 4,4 %  
UCC : 5,5 %  
Efficiency : 93,9 %

### DIMENSIONS:

Dimensions (A x B x H) : 240 x 185 x 240 mm  
Mounting centres (a x b) : 200 x 119 mm  
Mounting diameter (Ø) : 12x31 mm  
Weight : 26 kg

### PROTECTION(S) RECOMMANDÉE(S):

:  
Other voltages : N.C.

### OPTIONS:

Electrostatic shield  
Thermal sensors (PTC, PT100, Twin-blades)  
Regulation tabs  
Dual primary  
Inrush current, frequency, heating, ambient temperature, specific altitude  
Tropicalization