






MCP 40000 - ON REQUEST SINGLE-PHASE TRANSFORMER 40KVA - IP00



SKU: MCP40000_Specific
Référence technique: T12B49...



CARACTÉRISTIQUES TECHNIQUES:

Type : Transformer
Current : single-phase
Certification(s) : EN 60076
Power : 40 kVA
Primary voltage : max. 1000V
Secondary voltage : max. 1000V
:
Protection : IP00
Version : Transformer (specific)
Inrush current : less than or equal to 8 In
Heatings : H (IEC 60085)
Max. ambient T° : 40°C
No load losses : 230 W
Load losses : 1300 W
Voltage drop : 3,1 %
UCC : 3,9 %
Efficiency : 96,3 %

DIMENSIONS:

Dimensions (A x B x H) : 330 x 370 x 580 mm
Mounting centres (a x b) : 235 x 340 mm
Mounting diameter (∅) : 11x22 mm
Weight : 127 kg

PROTECTION(S) RECOMMANDÉE(S):

:
Other voltages : N.C.

OPTIONS:

Electrostatic shield
Thermal sensors (PTC, PT100, Twin-blades)
Regulation tabs
Dual primary
Inrush current, frequency, heating, ambient temperature, specific altitude
Tropicalization
Vibration isolating mount
Runing wheels