




**TPA 500000 - THREE-PHASE  
TRANSFORMER 400/230V ±5% -  
ELECTROSTATIC SHIELD - 500KVA -  
IP00**



SKU: 34604  
Référence technique: S37B60FDF1000



### **CARACTÉRISTIQUES TECHNIQUES:**

Type : Transformer  
Current : three-phase  
Certification(s) : EN 60076  
Power : 500 kVA  
Primary voltage : 400V  
Secondary voltage : 230V (Y+N)  
:  
Protection : IP00  
Version : with electrostatic shield & regulation tabs ±5%  
Inrush current : less than or equal to 7 In  
Heatings : H (IEC 60085)  
Max. ambient T° : 35°C  
No load losses : 1960 W  
Load losses : 6400 W  
Voltage drop : 1,3 %  
UCC : 5 %  
Efficiency : 98,4 %

### **DIMENSIONS:**

Dimensions (A x B x H) : 950 x 680 x 800 mm  
Mounting centres (a x b) : 600 x 420 mm  
Mounting diameter (∅) : 14 mm  
Weight : 1270 kg

### **PROTECTION(S) RECOMMANDÉE(S):**

Primary 400V (aM fuse(s)) : 3 x 800A  
:

### **OPTIONS:**

Tropicalization  
Vibration isolating mount  
Runnig wheels