



TPA 630000 - THREE-PHASE TRANSFORMER 400/400V - 630KVA - IP00



SKU: 33611
Référence technique: S37B61FF00000



CARACTÉRISTIQUES TECHNIQUES:

Type : Transformer
Current : three-phase
Certification(s) : EN 60076
Power : 630 kVA
Primary voltage : 400V
Secondary voltage : 400V (Y+N)
:
Protection : IP00
Version : standard
Inrush current : less than or equal to 7 In
Heatings : H (IEC 60085)
Max. ambient T° : 35°C
No load losses : 2260 W
Load losses : 8690 W
Voltage drop : 1,4 %
UCC : 4,7 %
Efficiency : 98,3 %

DIMENSIONS:

Dimensions (A x B x H) : 940 x 730 x 900 mm
Mounting centres (a x b) : 600 x 420 mm
Mounting diameter (ø) : 14 mm
Weight : 1465 kg

PROTECTION(S) RECOMMANDÉE(S):

Primary 400V (aM fuse(s)) : 3 x 1000A
:
Secondary 400V (gG fuse(s)) : 4 x 1000A
Secondary 400V (C circuit breaker(s)) : 4 x 1000A

OPTIONS:

Tropicalization
Vibration isolating mount
Runnig wheels